United States
Environmental Protection
Agency

Office of Water and
Hazardous Waste
Washington, DC 20460

EPA 8700-12(FR)
May 19, 1980

Solid Waste

EPA

Identification and Listing of Hazardous Waste

This package is a complete reprint of the EPA regulations identifying and listing hazardous waste that were promulgated under Section 3001 of the Resource Conservation and Recovery Act *(RCRA)* on May 19, 1980. If you need a copy of the preamble discussion to this regulation or a copy of other regulations for hazardous waste management that were promulgated under Subtitle C of RCRA please contact:

Mr. Ed Cox
U.S. Environmental Protection Agency
P.O. Bldg. B
Dalton and Liberty Streets
Dock 14
Cincinnati, Ohio 45214
(513) 684–5362

PART 261—IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

Subpart A—General

Sec.

261.1 Purpose and scope.
261.2 Definition of solid waste.
261.3 Definition of hazardous waste.
261.4 Exclusions.
261.5 Special requirements for hazardous waste produced by small quantity generators.
261.6 Special requirements for hazardous waste which is used, re-used, recycled or reclaimed.

Subpart B—Criteria for Identifying the Characteristics of Hazardous Waste and for Listing Hazardous Wastes

261.10 Criteria for identifying the characteristics of hazardous wastes.
261.11 Criteria for listing hazardous waste.

Subpart C—Characteristics of Hazardous Waste

261.20 General.
261.21 Characteristic of ignitability.
261.22 Characteristic of corrosivity.
261.23 Characteristic of reactivity.
261.24 Characteristic of EP toxicity.

Subpart D—Lists of Hazardous Wastes

261.30 General.
261.31 Hazardous wastes from non-specific sources.
261.32 Hazardous wastes from specific sources.
261.33 Discarded commercial chemical products and associated off-specification materials, containers and spill residues.

Appendices

Appendix I—Representative Sampling Methods
Appendix II—EP Toxicity Test Procedures
Appendix III—Chemical Analysis Test Methods
Appendix IV—[Reserved for Radioactive Waste Test Methods]
Appendix V—[Reserved for Infectious Waste Treatment Specifications]
Appendix VI—[Reserved for Etiologic Agents]
Appendix VII—Basis for Listing
Appendix VIII—Hazardous Constituents

Authority: Secs. 1006, 2002(a), 3001, and 3002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976, as amended (42 U.S.C. 6905, 6912, 6921 and 6922).

Subpart A—General

§ 261.1 Purpose and scope.

(a) This Part identifies those solid wastes which are subject to regulation as hazardous wastes under Parts 262 through 265 and Parts 122 through 124 of this Chapter and which are subject to the notification requirements of Section 3010 of RCRA. In this Part:

(1) Subpart A defines the terms "solid waste" and "hazardous waste," identifies those wastes which are excluded from regulation under Parts 262 through 265 and 122 through 124 and establishes special management requirements for hazardous waste produced by small quantity generators and hazardous waste which is used, re-used, recycled or reclaimed.

(2) Subpart B sets forth the criteria used by EPA to identify characteristics of hazardous waste and to list particular hazardous wastes.

(3) Subpart C identifies characteristics of hazardous waste.

(4) Subpart D lists particular hazardous wastes.

(b) This Part identifies only some of the materials which are hazardous wastes under Sections 3007 and 7003 of RCRA. A material which is not a hazardous waste identified in this part is still a hazardous waste for purposes of those sections if:

(1) In the case of Section 3007, EPA has reason to believe that the material may be a hazardous waste within the meaning of Section 1004(5) of RCRA.

(2) In the case of Section 7003, the statutory elements are established.

§ 261.2 Definition of solid waste.

(a) A solid waste is any garbage, refuse, sludge or any other waste material which is not excluded under § 261.4(a).

(b) An "other waste material" is any solid, liquid, semi-solid or contained gaseous material, resulting from industrial, commercial, mining or agricultural operations, or from community activities which:

(1) Is discarded or is being accumulated, stored or physically, chemically or biologically treated prior to being discarded; or

(2) Has served its original intended use and sometimes is discarded; or

(3) Is a manufacuring or mining by-product and sometimes is discarded.

(c) A material is "discarded" if it is abandoned (and not used, re-used, reclaimed or recycled) by being:

(1) Disposed of; or

(2) Burned or incinerated, except where the material is being burned as a fuel for the purpose of recovering usable energy; or

(3) Physically, chemically, or biologically treated (other than burned or incinerated) in lieu of or prior to being disposed of.

(d) A material is "disposed of" if it is discharged, deposited, injected, dumped, spilled, leaked or placed into or on any land or water so that such material or any constituent thereof may enter the environment or be emitted into the air or discharged into ground or surface waters.

(e) A "manufacturing or mining by-product" is a material that is not one of the primary products of a particular manufacturing or mining operation, is a secondary and incidental product of the particular operation and would not be solely and separately manufactured or mined by the particular manufacturing or mining operation. The term does not include an intermediate manufacturing or mining product which results from one of the steps in a manufacturing or mining process and is typically processed through the next step of the process within a short time.

§ 261.3 Definition of hazardous waste.

(a) A solid waste, as defined in § 261.2, is a hazardous waste if:

(1) It is not excluded from regulation as a hazardous waste under § 261.4(b); and

(2) It meets any of the following criteria:

(i) It is listed in Subpart D and has not been excluded from the lists in Subpart D under §§ 260.20 and 260.22 of this Chapter.

(ii) It is a mixture of solid waste and one or more hazardous wastes listed in Subpart D and has not been excluded from this paragraph under §§ 260.20 and 260.22 of this Chapter.

(iii) It exhibits any of the characteristics of hazardous waste identified in Subpart C.

(b) A solid waste which is not excluded from regulation under paragraph (a)(1) of this section becomes a hazardous waste when any of the following events occur:

(1) In the case of a waste listed in Subpart D, when the waste first meets the listing description set forth in Subpart D.

(2) In the case of a mixture of solid waste and one or more listed hazardous wastes, when a hazardous waste listed

in Subpart D is first added to the solid waste.

(3) In the case of any other waste (including a waste mixture), when the waste exhibits any of the characteristics identified in Subpart C.

(c) Unless and until it meets the criteria of paragraph (d):

(1) A hazardous waste will remain a hazardous waste.

(2) Any solid waste generated from the treatment, storage or disposal of a hazardous waste, including any sludge, spill residue, ash, emission control dust or leachate (but not including precipitation run-off), is a hazardous waste.

(d) Any solid waste described in paragraph (c) of this section is not a hazardous waste if it meets the following criteria:

(1) In the case of any solid waste, it does not exhibit any of the characteristics of hazardous waste identified in Subpart C.

(2) In the case of a waste which is a listed waste under Subpart D, contains a waste listed under Subpart D or is derived from a waste listed in Subpart D, it also has been excluded from paragraph (c) under §§ 260.20 and 260.22 of this Chapter.

§ 261.4 Exclusions.

(a) *Materials which are not solid wastes.* The following materials are not solid wastes for the purpose of this Part:

(1) (i) Domestic sewage; and

(ii) Any mixture of domestic sewage and other wastes that passes through a sewer system to a publicly-owned treatment works for treatment. "Domestic sewage" means untreated sanitary wastes that pass through a sewer system.

(2) Industrial wastewater discharges that are point source discharges subject to regulation under Section 402 of the Clean Water Act, as amended.

[Comment: This exclusion applies only to the actual point source discharge. It does not exclude industrial wastewaters while they are being collected, stored or treated before discharge, nor does it exclude sludges that are generated by industrial wastewater treatment.]

(3) Irrigation return flows.

(4) Source, special nuclear or by-product material as defined by the Atomic Energy Act of 1954, as amended, 42 U.S.C. 2011 *et seq.*

(5) Materials subjected to in-situ mining techniques which are not removed from the ground as part of the extraction process.

(b) *Solid wastes which are not hazardous wastes.* The following solid wastes are not hazardous wastes:

(1) Household waste, including household waste that has been collected, transported, stored, treated, disposed, recovered (e.g., refuse-derived fuel) or reused. "Household waste" means any waste material (including garbage, trash and sanitary wastes in septic tanks) derived from households (including single and multiple residences, hotels and motels.)

(2) Solid wastes generated by any of the following and which are returned to the soils as fertilizers:

(i) The growing and harvesting of agricultural crops.

(ii) The raising of animals, including animal manures.

(3) Mining overburden returned to the mine site.

(4) Fly ash waste, bottom ash waste, slag waste, and flue gas emission control waste generated primarily from the combustion of coal or other fossil fuels.

(5) Drilling fluids, produced waters, and other wastes associated with the exploration, development, or production of crude oil, natural gas or geothermal energy.

§ 261.5 Special requirements for hazardous waste generated by small quantity generators.

(a) Except as otherwise provided in this section, if a person generates, in a calendar month, a total of less than 1000 kilograms of hazardous wastes, those wastes are not subject to regulation under Parts 262 through 265 and Parts 122 through 124 of this Chapter, and the notification requirements of Section 3010 of RCRA.

(b) If a person whose waste has been excluded from regulation under paragraph (a) of this Section accumulates hazardous wastes in quantities greater than 1000 kilograms, those accumulated wastes are subject to regulation under Parts 262 through 265 and Parts 122 through 124 of this Chapter, and the notification requirements of Section 3010 of RCRA.

(c) If a person generates in a calendar month or accumulates at any time any of the following hazardous wastes in quantities greater than set forth below, those wastes are subject to regulation under Parts 262 through 265 and Parts 122 through 124 of this Chapter, and the notification requirements of Section 3010 of RCRA:

(1) One kilogram of any commercial product or manufacturing chemical intermediate having the generic name listed in § 261.33(e).

(2) One kilogram of any off-specification commercial chemical product or manufacturing chemical intermediate which, if it met specifications, would have the generic name listed in § 261.33(e).

(3) Any containers identified in § 261.33(c) that are larger than 20 liters in capacity;

(4) 10 kilograms of inner liners from containers identified under § 261.33(c);

(5) 100 kilograms of any residue or contaminated soil, water or other debris resulting from the cleanup of a spill, into or on any land or water, of any commercial chemical product or manufacturing chemical intermediate having the generic name listed in § 261.33(e).

(d) In order for hazardous waste to be excluded from regulation under this section, the generator must comply with § 262.11 of this Chapter. He must also either treat or dispose of the waste in an on-site facility, or ensure delivery to an off-site treatment, storage or disposal facility, either of which is:

(1) Permitted by EPA under Part 122 of this Chapter, or by a State with a hazardous waste management program authorized under Part 123 of this Chapter;

(2) In interim status under Parts 122 and 265 of this Chapter; or,

(3) Permitted, licensed, or registered by a State to manage municipal or industrial solid waste.

(e) Hazardous waste subject to the reduced requirements of this section may be mixed with non-hazardous waste and remain subject to these reduced requirements even though the resultant mixture exceeds the quantity limitations identified in this section, unless the mixture meets any of the characteristics of hazardous waste identified in Subpart C.

§ 261.6 Special requirements for hazardous waste which is used, re-used, recycled or reclaimed.

(a) Except as otherwise provided in paragraph (b) of this section, a hazardous waste which meets either of the following criteria is not subject to regulation under Parts 262 through 265 or Parts 122 through 124 of this Chapter and is not subject to the notification requirements of Section 3010 of RCRA until such time as the Administrator promulgates regulations to the contrary:

(1) It is being beneficially used or re-used or legitimately recycled or reclaimed.

(2) It is being accumulated, stored or physically, chemically or biologically treated prior to beneficial use or re-use or legitimate recycling or reclamation.

(b) A hazardous waste which is a sludge, or which is listed in Subpart D, or which contains one or more hazardous wastes listed in Subpart D; and which is transported or stored prior to being used, re-used, recycled or reclaimed is subject to the following requirements with respect to such transportation or storage:

(1) Notification requirements under Section 3010 RCRA.

(2) Part 262 of this Chapter.

(3) Part 263 of this Chapter.

(4) Subparts A, B, C, D and E of Part 264 of this Chapter.

(5) Subparts A, B, C, D, E, G, H, I, J and L of Part 265 of this Chapter.

(6) Parts 122 and 124 of this Chapter, with respect to storage facilities.

Subpart B—Criteria for Identifying the Characteristics of Hazardous Waste and for Listing Hazardous Waste

§ 261.10 Criteria for identifying the characteristics of hazardous waste.

(a) The Administrator shall identify and define a characteristic of hazardous waste in Subpart C only upon determining that:

(1) A solid waste that exhibits the characteristic may:

(i) Cause, or significantly contribute to, an increase in mortality or an increase in serious irreversible, or incapacitating reversible, illness; or

(ii) Pose a substantial present or potential hazard to human health or the environment when it is improperly treated, stored, transported, disposed of or otherwise managed; and

(2) The characteristic can be:

(i) Measured by an available standardized test method which is reasonably within the capability of generators of solid waste or private sector laboratories that are available to serve generators of solid waste; or

(ii) Reasonably detected by generators of solid waste through their knowledge of their waste.

§ 261.11 Criteria for listing hazardous waste.

(a) The Administrator shall list a solid waste as a hazardous waste only upon determining that the solid waste meets one of the following criteria:

(1) It exhibits any of the characteristics of hazardous waste identified in Subpart C.

(2) It has been found to be fatal to humans in low doses or, in the absence of data on human toxicity, it has been shown in studies to have an oral LD 50 toxicity (rat) of less than 50 milligrams per kilogram, an inhalation LC 50 toxicity (rat) of less than 2 milligrams per liter, or a dermal LD 50 toxicity (rabbit) of less than 200 milligrams per kilogram or is otherwise capable of causing or significantly contributing to an increase in serious irreversible, or incapacitating reversible, illness. (Waste listed in accordance with these criteria will be designated Acute Hazardous Waste.)

(3) It contains any of the toxic constituents listed in Appendix VIII unless, after considering any of the following factors, the Administrator concludes that the waste is not capable of posing a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported or disposed of, or otherwise managed:

(i) The nature of the toxicity presented by the constituent.

(ii) The concentration of the constituent in the waste.

(iii) The potential of the constituent or any toxic degradation product of the constituent to migrate from the waste into the environment under the types of improper management considered in paragraph (a)(3)(vii) of this section.

(iv) The persistence of the constituent or any toxic degradation product of the constituent.

(v) The potential for the constituent or any toxic degradation product of the constituent to degrade into non-harmful constituents and the rate of degradation.

(vi) The degree to which the constituent or any degradation product of the constituent bioaccumulates in ecosystems.

(vii) The plausible types of improper management to which the waste could be subjected.

(viii) The quantities of the waste generated at individual generation sites or on a regional or national basis.

(ix) The nature and severity of the human health and environmental damage that has occurred as a result of the improper management of wastes containing the constituent.

(x) Action taken by other governmental agencies or regulatory programs based on the health or environmental hazard posed by the waste or waste constituent.

(xi) Such other factors as may be appropriate.

Substances will be listed on Appendix VIII only if they have been shown in scientific studies to have toxic, carcinogenic, mutagenic or teratogenic effects on humans or other life forms.

(Wastes listed in accordance with these criteria will be designated Toxic wastes.)

(b) The Administrator may list classes or types of solid waste as hazardous waste if he has reason to believe that individual wastes, within the class or type of waste, typically or frequently are hazardous under the definition of hazardous waste found in Section 1004(5) of the Act.

(c) The Administrator will use the criteria for listing specified in this section to establish the exclusion limits referred to in § 261.5(c).

Subpart C—Characteristics of Hazardous Waste

§ 261.20 General.

(a) A solid waste, as defined in § 261.2, which is not excluded from regulation as a hazardous waste under § 261.4(b), is a hazardous waste if it exhibits any of the characteristics identified in this Subpart.

[Comment: § 262.11 of this Chapter sets forth the generator's responsibility to determine whether his waste exhibits one or more of the characteristics identified in this Subpart]

(b) A hazardous waste which is identified by a characteristic in this subpart, but is not listed as a hazardous waste in Subpart D, is assigned the EPA Hazardous Waste Number set forth in the respective characteristic in this Subpart. This number must be used in complying with the notification requirements of Section 3010 of the Act and certain recordkeeping and reporting requirements under Parts 262 through 265 and Part 122 of this Chapter.

(c) For purposes of this Subpart, the Administrator will consider a sample obtained using any of the applicable sampling methods specified in Appendix I to be a representative sample within the meaning of Part 260 of this Chapter.

[Comment: Since the Appendix I sampling methods are not being formally adopted by the Administrator, a person who desires to employ an alternative sampling method is not required to demonstrate the equivalency of his method under the procedures set forth in §§ 260.20 and 260.21.]

§ 261.21 Characteristic of ignitability.

(a) A solid waste exhibits the characteristic of ignitability if a representative sample of the waste has any of the following properties:

(1) It is a liquid, other than an aqueous solution containing less than 24 percent alcohol by volume, and has a flash point less than 60°C (140°F), as determined by a Pensky-Martens Closed Cup Tester, using the test method specified in ASTM Standard D-93-79, or a Setaflash Closed Cup Tester, using the test method specified in ASTM standard D-3278-78, or as determined by an equivalent test method approved by the Administrator under the procedures set forth in §§ 260.20 and 260.21.[1]

---

[1] ASTM Standards are available from ASTM, 1916 Race Street, Philadelphia, PA 19103.

(2) It is not a liquid and is capable, under standard temperature and pressure, of causing fire through friction, absorption of moisture or spontaneous chemical changes and, when ignited, burns so vigorously and persistently that is creates a hazard.

(3) It is an ignitable compressed gas as defined in 49 CFR 173.300 and as determined by the test methods described in that regulation or equivalent test methods approved by the Administrator under §§ 260.20 and 260.21.

(4) It is an oxidizer as defined in 49 CFR 173.151.

(b) A solid waste that exhibits the characteristic of ignitability, but is not listed as a hazardous waste in Subpart D, has the EPA Hazardous Waste Number of D001.

§ 261.22 Characteristic of corrosivity.

(a) A solid waste exhibits the characteristic of corrosivity if a representative sample of the waste has either of the following properties:

(1) It is aqueous and has a pH less than or equal to 2 or greater than or equal to 12.5, as determined by a pH meter using either the test method specified in the "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods" [2] (also described in "Methods for Analysis of Water and Wastes" EPA 600/4–79–020, March 1979), or an equivalent test method approved by the Administrator under the procedures set forth in §§ 260.20 and 260.21.

(2) It is a liquid and corrodes steel (SAE 1020) at a rate greater than 6.35 mm (0.250 inch) per year at a test temperature of 55°C (130°F) as determined by the test method specified in NACE (National Association of Corrosion Engineers) Standard TM–01–69 [3] as standardized in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods," or an equivalent test method approved by the Administrator under the procedures set forth in §§ 260.20 and 260.21.

(b) A solid waste that exhibits the characteristic of corrosivity, but is not listed as a hazardous waste in Subpart D, has the EPA Hazardous Waste Number of D002.

§ 261.23 Characteristic of reactivity.

(a) A solid waste exhibits the characteristic of reactivity if a representative sample of the waste has *any* of the following properties:

(1) It is normally unstable and readily undergoes violent change without detonating.

(2) It reacts violently with water.

(3) It forms potentially explosive mixtures with water.

(4) When mixed with water, it generates toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment.

(5) It is a cyanide or sulfide bearing waste which, when exposed to pH conditions between 2 and 12.5, can generate toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment.

(6) It is capable of detonation or explosive reaction if it is subjected to a strong initiating source or if heated under confinement.

(7) It is readily capable of detonation or explosive decomposition or reaction at standard temperature and pressure.

(8) It is a forbidden explosive as defined in 49 CFR 173.51, or a Class A explosive as defined in 49 CFR 173.53 or a Class B explosive as defined in 49 CFR 173.88.

(b) A solid waste that exhibits the characteristic of reactivity, but is not listed as a hazardous waste in Subpart D, has the EPA Hazardous Waste Number of D003.

§ 261.24 Characteristic of EP Toxicity.

(a) A solid waste exhibits the characteristic of EP toxicity if, using the test methods described in Appendix II or equivalent methods approved by the Administrator under the procedures set forth in §§ 260.20 and 260.21, the extract from a representative sample of the waste contains any of the contaminants listed in Table I at a concentration equal to or greater than the respective value given in that Table. Where the waste contains less than 0.5 percent filterable solids, the waste itself, after filtering, is considered to be the extract for the purposes of this section.

(b) A solid waste that exhibits the characteristic of EP toxicity, but is not listed as a hazardous waste in Subpart D, has the EPA Hazardous Waste Number specified in Table I which corresponds to the toxic contaminant causing it to be hazardous.

Table I.—Maximum Concentration of Contaminants for Characteristic of EP Toxicity—Continued

EPA hazardous waste number	Contaminant	Maximum concentration (milligrams per liter)
D004	Arsenic	5.0
D005	Barium	100.0
D006	Cadmium	1.0
D007	Chromium	5.0
D008	Lead	5.0
D009	Mercury	0.2
D010	Selenium	1.0
D011	Silver	5.0
D012	Endrin (1,2,3,4,10,10-hexachloro-1,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4-endo, endo-5,8-dimethano naphthalene.	0.02
D013	Lindane (1,2,3,4,5,6-hexachlorocyclohexane, gamma isomer.	0.4
D014	Methoxychlor (1,1,1-Trichloro-2,2-bis [p-methoxyphenyl]ethane).	10.0
D015	Toxaphene ($C_{10}H_{10}Cl_8$, Technical chlorinated camphene, 67–69 percent chlorine).	0.5
D016	2,4-D, (2,4-Dichlorophenoxyacetic acid).	10.0
D017	2,4,5-TP Silvex (2,4,5-Trichlorophenoxypropionic acid).	1.0

Subpart D—Lists of Hazardous Wastes

§ 261.30 General.

(a) A solid waste is a hazardous waste if it is listed in this Subpart, unless it has been excluded from this list under §§ 260.20 and 260.22.

(b) The Administrator will indicate his basis for listing the classes or types of wastes listed in this Subpart by employing one or more of the following Hazard Codes:

Ignitable Waste	(I)
Corrosive Waste	(C)
Reactive Waste	(R)
EP Toxic Waste	(E)
Acute Hazardous Waste	(H)
Toxic Waste	(T)

Appendix VII identifies the constituent which caused the Administrator to list the waste as an EP Toxic Waste (E) or Toxic Waste (T) in §§ 261.31 and 261.32.

(c) Each hazardous waste listed in this Subpart is assigned an EPA Hazardous Waste Number which precedes the name of the waste. This number must be used in complying with the notification requirements of Section 3010 of the Act and certain recordkeeping and reporting requirements under Parts 262 through 265 and Part 122 of this Chapter.

(d) Certain of the hazardous wastes listed in § 261.31 or § 261.32 have exclusion limits that refer to § 261.5(c)(5).

---

[2] This document is available from Solid Waste Information, U.S. Environmental Protection Agency, 26 W. St. Clair Street, Cincinnati, Ohio 45268.

[3] The NACE Standard is available from the National Association of Corrosion Engineers, P.O. Box 986, Katy, Texas 77450.

§ 261.31 Hazardous waste from nonspecific sources.

Industry and EPA hazardous waste No.	Hazardous waste	Hazard code
Generic:		
F001	The spent halogenated solvents used in degreasing, tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, and the chlorinated fluorocarbons; and sludges from the recovery of these solvents in degreasing operations.	(T)
F002	The spent halogenated solvents, tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2-trifluoroethane, o-dichlorobenzene, trichlorofluoromethane and the still bottoms from the recovery of these solvents.	(T)
F003	The spent non-halogenated solvents, xylene, acetone, ethyl acetate, ethyl benzene, ethyl ether, n-butyl alcohol, cyclohexanone, and the still bottoms from the recovery of these solvents.	(I)
F004	The spent non-halogenated solvents, cresols and cresylic acid, nitrobenzene, and the still bottoms from the recovery of these solvents	(T)
F005	The spent non-halogenated solvents, methanol, toluene, methyl ethyl ketone, methyl isobutyl ketone, carbon disulfide, isobutanol, pyridine and the still bottoms from the recovery of these solvents.	(I, T)
F006	Wastewater treatment sludges from electroplating operations	(T)
F007	Spent plating bath solutions from electroplating operations	(R, T)
F008	Plating bath sludges from the bottom of plating baths from electroplating operations	(R, T)
F009	Spent stripping and cleaning bath solutions from electroplating operations	(R, T)
F010	Quenching bath sludge from oil baths from metal heat treating operations	(R, T)
F011	Spent solutions from salt bath pot cleaning from metal heat treating operations	(R, T)
F012	Quenching wastewater treatment sludges from metal heat treating operations	(T)
F013	Flotation tailings from selective flotation from mineral metals recovery operations	(T)
F014	Cyanidation wastewater treatment tailing pond sediment from mineral metals recovery operations	(T)
F015	Spent cyanide bath solutions from mineral metals recovery operations	(R, T)
F016	Dewatered air pollution control scrubber sludges from coke ovens and blast furnaces	(T)

§ 261.32 Hazardous waste from specific sources.

Industry and EPA hazardous waste No.	Hazardous waste	Hazard code
Wood Preservation: K001	Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol	(T)
Inorganic Pigments:		
K002	Wastewater treatment sludge from the production of chrome yellow and orange pigments	(T)
K003	Wastewater treatment sludge from the production of molybdate orange pigments	(T)
K004	Wastewater treatment sludge from the production of zinc yellow pigments	(T)
K005	Wastewater treatment sludge from the production of chrome green pigments	(T)
K006	Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous and hydrated)	(T)
K007	Wastewater treatment sludge from the production of iron blue pigments	(T)
K008	Oven residue from the production of chrome oxide green pigments	(T)
Organic Chemicals:		
K009	Distillation bottoms from the production of acetaldehyde from ethylene	(T)
K010	Distillation side cuts from the production of acetaldehyde from ethylene	(T)
K011	Bottom stream from the wastewater stripper in the production of acrylonitrile	(R, T)
K012	Still bottoms from the final purification of acrylonitrile in the production of acrylonitrile	(T)
K013	Bottom stream from the acetonitrile column in the production of acrylonitrile	(R, T)
K014	Bottoms from the acetronitrile purification column in the production of acrylonitrile	(T)
K015	Still bottoms from the distillation of benzyl chloride	(T)
K016	Heavy ends or distillation residues from the production of carbon tetrachloride	(T)
K017	Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin	(T)
K018	Heavy ends from fractionation in ethyl chloride production	(T)
K019	Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production	(T)
K020	Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production	(T)
K021	Aqueous spent antimony catalyst waste from fluoromethanes production	(T)
K022	Distillation bottom tars from the production of phenol/acetone from cumene	(T)
K023	Distillation light ends from the production of phthalic anhydride from naphthalene	(T)
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene	(T)
K025	Distillation bottoms from the production of nitrobenzene by the nitration of benzene	(T)
K026	Stripping still tails from the production of methyl ethyl pyridines	(T)
K027	Centrifuge residue from toluene diisocyanate production	(R, T)
K028	Spent catalyst from the hydrochlorinator reactor in the production of 1,1,1-trichloroethane	(T)
K029	Waste from the product stream stripper in the production of 1,1,1-trichloroethane	(T)
K030	Column bottoms or heavy ends from the combined production of trichloroethylene and perchloroethylene	(T)
Pesticides:		
K031	By-products salts generated in the production of MSMA and cacodylic acid	(T)
K032	Wastewater treatment sludge from the production of chlordane	(T)
K033	Wastewater and scrub water from the chlorination of cyclopentadiene in the production of chlordane	(T)
K034	Filter solids from the filtration of hexachlorocyclopentadiene in the production of chlordane	(T)
K035	Wastewater treatment sludges generated in the production of creosote	(T)
K036	Still bottoms from toluene reclamation distillation in the production of disulfoton	(T)
K037	Wastewater treatment sludges from the production of disulfoton	(T)
K038	Wastewater from the washing and stripping of phorate production	(T)
K039	Filter cake from the filtration of diethylphosphorodithoric acid in the production of phorate	(T)
K040	Wastewater treatment sludge from the production of phorate	(T)
K041	Wastewater treatment sludge from the production of toxaphene	(T)
K042	Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T	(T)
K043	2,6-Dichlorophenol waste from the production of 2,4-D	(T)
Explosives:		
K044	Wastewater treatment sludges from the manufacturing and processing of explosives	(R)
K045	Spent carbon from the treatment of wastewater containing explosives	(R)
K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead-based initiating compounds	(T)
K047	Pink/red water from TNT operations	(R)
Petroleum Refining:		
K048	Dissolved air flotation (DAF) float from the petroleum refining industry	(T)
K049	Slop oil emulsion solids from the petroleum refining industry	(T)
K050	Heat exchanger bundle cleaning sludge from the petroleum refining industry	(T)
K051	API separator sludge from the petroleum refining industry	(T)
K052	Tank bottoms (leaded) from the petroleum refining industry	(T)
Leather Tanning Finishing:		
K053	Chrome (blue) trimmings generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue; and shearling.	(T)

§ 261.32 Hazardous waste from specific sources. —Continued

Industry and EPA hazardous waste No	Hazardous waste	Hazard code
K054	Chrome (blue) shavings generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish, hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue; and shearling	(T)
K055	Buffing dust generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; and through-the-blue.	(T)
K056	Sewer screenings generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue; and shearling.	(T)
K057	Wastewater treatment sludges generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue and shearling.	(T)
K058	Wastewater treatment sludges generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; and through-the-blue.	(R, T)
K059	Wastewater treatment sludges generated by the following subcategory of the leather tanning and finishing industry: hair save/non-chrome tan/retan/wet finish.	(R)
Iron and Steel:		
K060	Ammonia still lime sludge from coking operations	(T)
K061	Emission control dust/sludge from the electric furnace production of steel	(T)
K062	Spent pickle liquor from steel finishing operations	(C, T)
K063	Sludge from lime treatment of spent pickle liquor from steel finishing operations	(T)
Primary Copper: K064	Acid plant blowdown slurry/sludge resulting from the thickening of blowdown slurry from primary copper production	(T)
Primary Lead: K065	Surface impoundment solids contained in and dredged from surface impoundments at primary lead smelting facilities	(T)
Primary Zinc:		
K066	Sludge from treatment of process wastewater and/or acid plant blowdown from primary zinc production	(T)
K067	Electrolytic anode slimes/sludges from primary zinc production	(T)
K068	Cadmium plant leach residue (iron oxide) from primary zinc production	(T)
Secondary Lead: K069	Emission control dust/sludge from secondary lead smelting	(T)

§ 261.33 Discarded Commercial Chemical Products, Off-Specification Species, Containers, and Spill Residues Thereof.

The following materials or items are hazardous wastes if and when they are discarded or intended to be discarded:

(a) Any commercial chemical product, or manufacturing chemical intermediate having the generic name listed in paragraphs (e) or (f) of this section.

(b) Any off-specification commercial chemical product or manufacturing chemical intermediate which, if it met specifications, would have the generic name listed in paragraphs (e) or (f) of this section.

(c) Any container or inner liner removed from a container that has been used to hold any commercial chemical product or manufacturing chemical intermediate having the generic name listed in paragraph (e) of this section, unless:

(1) The container or inner liner has been triple rinsed using a solvent capable of removing the commercial chemical product or manufacturing chemical intermediate;

(2) The container or inner liner has been cleaned by another method that has been shown in the scientific literature, or by tests conducted by the generator, to achieve equivalent removal; or

(3) In the case of a container, the inner liner that prevented contact of the commercial chemical product or manufacturing chemical intermediate with the container, has been removed.

(d) Any residue or contaminated soil, water or other debris resulting from the cleanup of a spill, into or on any land or water, of any commercial chemical product or manufacturing chemical intermediate having the generic name listed in paragraphs (e) or (f) of this Section.

[Comment: The phrase "commercial chemical product or manufacturing chemical intermediate having the generic name listed in . . ." refers to a chemical substance which is manufactured or formulated for commercial or manufacturing use. It does not refer to a material, such as a manufacturing process waste, that contains any of the substances listed in paragraphs (e) or (f). Where a manufacturing process waste is deemed to be a hazardous waste because it contains a substance listed in paragraphs (e) or (f), such waste will be listed in either §§ 261.31 or 261.32 or will be identified as a hazardous waste by the characteristics set forth in Subpart C of this Part.]

(e) The commercial chemical products or manufacturing chemical intermediates, referred to in paragraphs (a) through (d) of this section, are identified as acute hazardous wastes (H) and are subject to the small quantity exclusion defined in § 261.5(c). These wastes and their corresponding EPA Hazardous Waste Numbers are:

Hazardous waste No.	Substance [1]
	1080 see P058
	1081 see P057
	(Acetato)phenylmercury see P092
	Acetone cyanohydrin see P069
P001	3-(alpha-Acetonylbenzyl)-4-hydroxycoumarin and salts
P002	1-Acetyl-2-thiourea
P003	Acrolein
	Agarin see P007
	Agrosan GN 5 see P092
	Aldicarb see P069
	Aldifen see P048
P004	Aldrin
	Algimycin see P092
P005	Allyl alcohol
P006	Aluminum phosphide (R)
	ALVIT see P037
	Aminoethylene see P054
P007	5-(Aminomethyl)-3-isoxazolol
P008	4-Aminopyridine
	Ammonium metavanadate see P119
P009	Ammonium picrate (R)
	ANTIMUCIN WDR see P092
	ANTURAT see P073
	AQUATHOL see P088
	ARETIT see P020
P010	Arsenic acid
P011	Arsenic pentoxide
P012	Arsenic trioxide
	Athrombin see P001
	AVITROL see P008
	Aziridene see P054
	AZOFOS see P061
	Azophos see P061
	BANTU see P072
P013	Barium cyanide
	BASENITE see P020
	BCME see P016
P014	Benzenethiol
	Benzoepin see P050
P015	Beryllium dust
P016	Bis(chloromethyl) ether
	BLADAN-M see P071
P017	Bromoacetone
P018	Brucine
P019	2-Butanone peroxide
	BUFEN see P092
	Butaphene see P020
P020	2-sec-Butyl-4,6-dinitrophenol
P021	Calcium cyanide
	CALDON see P020
P022	Carbon disulfide
	CERESAN see P092
	CERESAN UNIVERSAL see P092
	CHEMOX GENERAL see P020
	CHEMOX P.E. see P020
	CHEM-TOL see P090
P023	Chloroacetaldehyde
P024	p-Chloroaniline
P025	1-(p-Chlorobenzoyl)-5-methoxy-2-methylindole-3-acetic acid
P026	1-(o-Chlorophenyl)thiourea
P027	3-Chloropropionitrile
P028	alpha-Chlorotoluene
P029	Copper cyanide
	CRETOX see P108
	Coumadin see P001
	Coumafen see P001
P030	Cyanides

Hazardous waste No.	Substance
P031	Cyanogen
P032	Cyanogen bromide
P033	Cyanogen chloride
	Cyclodan see P050
P034	2-Cyclohexyl-4,6-dinitrophenol
	D-CON see P001
	DETHMOR see P001
	DETHNEL see P001
	DFP see P043
P035	2,4-Dichlorophenoxyacetic acid (2,4-D)
P036	Dichlorophenylarsine
	Dicyanogen see P031
P037	Dieldrin
	DIELDREX see P037
P038	Diethylarsine
P039	0,0-Diethyl-S-(2-(ethylthio)ethyl)ester of phosphorothioic acid
P040	0,0-Diethyl-0-(2-pyrazinyl)phosphorotnioate
P041	0,0-Diethyl phosphoric acid, 0-p-nitrophenyl ester
P042	3,4-Dihydroxy-alpha-(methylamino)-methyl benzyl alcohol
P043	Di-isopropylfluorophosphate
	DIMETATE see P044
	1,4:5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro endo, endo see P060
P044	Dimethoate
P045	3,3-Dimethyl-1-(methylthio)-2-butanone-O-[(methylamino)carbonyl] oxime
P046	alpha,alpha-Dimethylphenethylamine
	Dinitrocyclohexylphenol see P034
P047	4,6-Dinitro-o-cresol and salts
P048	2,4-Dinitrophenol
	DINOSEB see P020
	DINOSEBE see P020
	Disulfoton see P039
P049	2,4-Dithiobiuret
	DNBP see P020
	DOLCO MOUSE CEREAL see P108
	DOW GENERAL see P020
	DOW GENERAL WEED KILLER see P020
	DOW SELECTIVE WEED KILLER see P020
	DOWICIDE G see P090
	DYANACIDE see P092
	EASTERN STATES DUOCIDE see P001
	ELGETOL see P020
P050	Endosulfan
P051	Endrin
	Epinephrine see P042
P052	Ethylcyanide
P053	Ethylenediamine
P054	Ethyleneimine
	FASCO FASCRAT POWDER see P001
	FEMMA see P091
P055	Ferric cyanide
P056	Fluorine
P057	2-Fluoroacetamide
P058	Fluoroacetic acid, sodium salt
	FOLODOL-80 see P071
	FOLODOL M see P071
	FOSFERNO M 50 see P071
	FRATOL see P058
	Fulminate of mercury see P065
	FUNGITOX OR see P092
	FUSSOF see P057
	GALLOTOX see P092
	GEARPHOS see P071
	GERUTOX see P020
P059	Heptachlor
P060	1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-endo, endo-dimethanonaphthalene
	1,4,5,6,7,7-Hexachloro-cyclic-5-norbornene-2,3-dimethanol sulfite see P050
P061	Hexachloropropene
P062	Hexaethyl tetraphosphate
	HOSTAQUICK see P092
	HOSTAQUIK see P092
	Hydrazomethane see P068
P063	Hydrocyanic acid
	ILLOXOL see P037
	INDOCI see P025
	Indomethacin see P025
	INSECTOPHENE see P050
	Isodrin see P060
P064	Isocyanic acid, methyl ester
	KILOSEB see P020
	KOP-THIODAN see P050
	KWIK-KIL see P108
	KWIKSAN see P092
	KUMADER see P001
	KYPFARIN see P001
	LEYTOSAN see P092
	LIQUIPHENE see P092
	MALIK see P050
	MAREVAN see P001
	MAR-FRIN see P001
	MARTIN'D MAR-FRIN see P001
	MAVERAN see P001
	MEGATOX see P005
P065	Mercury fulminate
	MERSOLITE see P092
	METACID 50 see P071
	METAFOS see P071
	METAPHOR see P071
	METAPHOS see P071
	METASOL 30 see P092
P066	Methomyl
P067	2-Methylaziridine
	METHYL-E 605 see P071
P068	Methyl hydrazine
	Methyl isocyanate see P064
P069	2-Methyllactonitrile
P070	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) oxime
	METHYL NIRON see P042
P071	Methyl parathion
	METRON see P071
	MOLE DEATH see P108
	MOUSE-NOTS see P108
	MOUSE-RID see P108
	MOUSE-TOX see P108
	MUSCIMOL see P007
P072	1-Naphthyl-2-thiourea
P073	Nickel carbonyl
P074	Nickel cyanide
P075	Nicotine and salts
P076	Nitric oxide
P077	p-Nitroaniline
P078	Nitrogen dioxide
P079	Nitrogen peroxide
P080	Nitrogen tetroxide
P081	Nitroglycerine (R)
P082	N-Nitrosodimethylamine
P083	N-Nitrosodiphenylamine
P084	N-Nitrosomethylvinylamine
	NYLMERATE see P092
	OCTALOX see P037
P085	Octamethylpyrophosphoramide
	OCTAN see P092
P086	Oleyl alcohol condensed with 2 moles ethylene oxide
	OMPA see P085
	OMPACIDE see P085
	OMPAX see P085
P087	Osmium tetroxide
P088	7-Oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid
	PANIVARFIN see P001
	PANORAM D-31 see P037
	PANTHERINE see P007
	PANWARFIN see P001
P089	Parathion
	PCP see P090
	PENNCAP-M see P071
	PENOXYL CARBON N see P048
P090	Pentachlorophenol
	Pentachlorophenate see P090
	PENTA-KILL see P090
	PENTASOL see P090
	PENWAR see P090
	PERMICIDE see P090
	PERMAGUARD see P090
	PERMATOX see P090
	PERMITE see P090
	PERTOX see P090
	PESTOX III see P085
	PHENMAD see P092
	PHENOTAN see P020
P091	Phenyl dichloroarsine
	Phenyl mercaptan see P014
P092	Phenylmercury acetate
P093	N-Phenylthiourea
	PHILIPS 1861 see P008
	PHIX see P092
P094	Phorate
P095	Phosgene
P096	Phosphine
P097	Phosphorothioic acid, 0,0-dimethyl ester, 0-ester with N,N-dimethyl benzene sulfonamide
	Phosphorothioic acid 0,0-dimethyl-0-(p-nitrophenyl) ester see P071
	PIED PIPER MOUSE SEED see P108
P098	Potassium cyanide
P099	Potassium silver cyanide
	PREMERGE see P020
P100	1,2-Propanediol
	Propargyl alcohol see P102
P101	Propionitrile
P102	2-Propyn-1-o1
	PROTHROMADIN See P001
	QUICKSAM see P092
	QUINTOX see P037
	RAT AND MICE BAIT see P001
	RAT-A-WAY see P001
	RAT-B-GON see P001
	RAT-O-CIDE #2 see P001
	RAT-GUARD see P001
	RAT-KILL see P001
	RAT-MIX see P001
	RATS-NO-MORE see P001
	RAT-OLA see P001
	RATOREX see P001
	RATTUNAL see P001
	RAT-TROL see P001
	RO-DETH see P001
	RO-DEX see P108
	ROSEX see P001
	ROUGH & READY MOUSE MIX see P001
	SANASEED see P108
	SANTOBRITE see P090
	SANTOPHEN see P090
	SANTOPHEN 20 see P090
	SCHRADAN see P085
P103	Selenourea
P104	Silver Cyanide
	SMITE see P105
	SPARIC see P020
	SPOR-KIL see P092
	SPRAY-TROL BRAND RODEN-TROL see P001
	SPURGE see P020
P105	Sodium azide
	Sodium coumadin see P001
P106	Sodium cyanide
	Sodium fluoroacetate see P056
	SODIUM WARFARIN see P001
	SOLFARIN see P001
	SOLFOBLACK BB see P048
	SOLFOBLACK SB see P048
P107	Strontium sulfide
P108	Strychnine and salts
	SUBTEX see P020
	SYSTAM see P085
	TAG FUNGICIDE see P092
	TEKWAISA see P071
	TEMIC see P070
	TEMIK see P070
	TERM-I-TROL see P090
P109	Tetraethyldithiopyrophosphate
P110	Tetraethyl lead
P111	Tetraethylpyrophosphate
P112	Tetranitromethane
	Tetraphosphoric acid, hexaethyl ester see P062
	TETROSULFUR BLACK PB see P048
	TETROSULPHUR PBR see P048
P113	Thallic oxide
	Thallium peroxide see P113
P114	Thallium selenite
P115	Thallium (I) sulfate
	THIFOR see P092
	THIMUL see P092
	THIODAN see P050
	THIOFOR see P050
	THIOMUL see P050
	THIONEX see P050
	THIOPHENIT see P071
P116	Thiosemicarbazide
	Thiosulfan tionel see P050
P117	Thiuram
	THOMPSON'S WOOD FIX see P090
	TIOVEL see P050
P118	Trichloromethanethiol
	TWIN LIGHT RAT AWAY see P001
	USAF RH-8 see P069
	USAF EK-4890 see P002
P119	Vanadic acid, ammonium salt
P120	Vanadium pentoxide
	VOFATOX see P071
	WANADU see P120
	WARCOUMIN see P001
	WARFARIN SODIUM see P001
	WARFICIDE see P001
	WOFOTOX see P072
	YANOCK see P057
	YASOKNOCK see P058
	ZIARNIK see P092
P121	Zinc cyanide
P122	Zinc phosphide (R,T)
	ZOOCOUMARIN see P001

[1] The Agency included those trade names of which it was aware; an omission of a trade name does not imply that the omitted material is not hazardous. The material is hazardous if it is listed under its generic name.

(f) The commercial chemical products or manufacturing chemical intermediates, referred to in paragraphs (a), (b) and (d) of this section, are identified as toxic wastes (T) unless otherwise designated and are subject to the small quantity exclusion defined in § 261.5 (a) and (b). These wastes and their corresponding EPA Hazardous Waste Numbers are:

Hazardous Waste No.	Substance[1]
	AAF see U005
U001	Acetaldehyde
U002	Acetone (I)
U003	Acetonitrile (I,T)
U004	Acetophenone
U005	2-Acetylaminoflourene
U006	Acetyl chloride (C,T)
U007	Acrylamide
	Acetylene tetrachloride see U209
	Acetylene trichloride see U228
U008	Acrylic acid (I)
U009	Acrylonitrile
	AEROTHENE TT see U226
	3-Amino-5-(p-acetamidophenyl)-1H-1,2,4-triazole, hydrate see U011
U010	6-Amino-1,1a,2,8,8a,8b-hexahydro-8-(hydroxymethyl)8-methoxy-5-methylcarbamate azirino(2',3':3,4) pyrrolo(1,2-a) indole-4, 7-dione (ester)
U011	Amitrole
U012	Aniline (I)
U013	Asbestos
U014	Auramine
U015	Azaserine
U016	Benz[c]acridine
U017	Benzal chloride
U018	Benz[a]anthracene
U019	Benzene
U020	Benzenesulfonyl chloride (C,R)
U021	Benzidine
	1,2-Benzisothiazolin-3-one, 1,1-dioxide see U202
	Benzo[a]anthracene see U018
U022	Benzo[a]pyrene
U023	Benzotrichloride (C,R,T)
U024	Bis(2-chloroethoxy)methane
U025	Bis(2-chloroethyl) ether
U026	N,N-Bis(2-chloroethyl)-2-naphthylamine
U027	Bis(2-chloroisopropyl) ether
U028	Bis(2-ethylhexyl) phthalate
U029	Bromomethane
U030	4-Bromophenyl phenyl ether
U031	n-Butyl alcohol (I)
U032	Calcium chromate
	Carbolic acid see U188
	Carbon tetrachloride see U211
U033	Carbonyl fluoride
U034	Chloral
U035	Chlorambucil
U036	Chlordane
U037	Chlorobenzene
U038	Chlorobenzilate
U039	p-Chloro-m-cresol
U040	Chlorodibromomethane
U041	1-Chloro-2,3-epoxypropane
	CHLOROETHENE NU see U226
U042	Chloroethyl vinyl ether
U043	Chloroethene
U044	Chloroform (I,T)
U045	Chloromethane (I,T)
U046	Chloromethyl methyl ether
U047	2-Chloronaphthalene
U048	2-Chlorophenol
U049	4-Chloro-o-toluidine hydrochloride
U050	Chrysene
	C.I. 23060 see U073
U051	Cresote
U052	Cresols
U053	Crotonaldehyde
U054	Cresylic acid
U055	Cumene
	Cyanomethane see U003
U056	Cyclohexane (I)
U057	Cyclohexanone (I)
U058	Cyclophosphamide
U059	Daunomycin
U060	DDD
U061	DDT
U062	Diallate
U063	Dibenz[a,h]anthracene
	Dibenzo[a,h]anthracene see U063
U064	Dibenzo[a,i]pyrene
U065	Dibromochloromethane
U066	1,2-Dibromo-3-chloropropane
U067	1,2-Dibromoethane
U068	Dibromomethane
U069	Di-n-butyl phthalate
U070	1,2-Dichlorobenzene
U071	1,3-Dichlorobenzene
U072	1,4-Dichlorobenzene
U073	3,3'-Dichlorobenzidine
U074	1,4-Dichloro-2-butene
	3,3'-Dichloro-4,4'-diaminobiphenyl see U073
U075	Dichlorodifluoromethane
U076	1,1-Dichloroethane
U077	1,2-Dichloroethane
U078	1,1-Dichloroethylene
U079	1,2-trans-dichloroethylene
U080	Dichloromethane
	Dichloromethylbenzene see U017
U081	2,4-Dichlorophenol
U082	2,6-Dichlorophenol
U083	1,2-Dichloropropane
U084	1,3-Dichloropropene
U085	Diepoxybutane (I,T)
U086	1,2-Diethylhydrazine
U087	0,0-Diethyl-S-methyl ester of phosphorodithioic acid
U088	Diethyl phthalate
U089	Diethylstilbestrol
U090	Dihydrosafrole
U091	3,3'-Dimethoxybenzidine
U092	Dimethylamine (I)
U093	p-Dimethylaminoazobenzene
U094	7,12-Dimethylbenz[a]anthracene
U095	3,3'-Dimethylbenzidine
U096	alpha,alpha-Dimethylbenzylhydroperoxide (R)
U097	Dimethylcarbamoyl chloride
U098	1,1-Dimethylhydrazine
U099	1,2-Dimethylhydrazine
U100	Dimethylnitrosoamine
U101	2,4-Dimethylphenol
U102	Dimethyl phthalate
U103	Dimethyl sulfate
U104	2,4-Dinitrophenol
U105	2,4-Dinitrotoluene
U106	2,6-Dinitrotoluene
U107	Di-n-octyl phthalate
U108	1,4-Dioxane
U109	1,2-Diphenylhydrazine
U110	Dipropylamine (I)
U111	Di-n-propylnitrosamine
	EBDC see U114
	1,4-Epoxybutane see U213
U112	Ethyl acetate (I)
U113	Ethyl acrylate (I)
U114	Ethylenebisdithiocarbamate
U115	Ethylene oxide (I,T)
U116	Ethylene thiourea
U117	Ethyl ether (I,T)
U118	Ethylmethacrylate
U119	Ethyl methanesulfonate
	Ethylnitrile see U003
	Firemaster T23P see U235
U120	Fluoranthene
U121	Fluorotrichloromethane
U122	Formaldehyde
U123	Formic acid (C,T)
U124	Furan (I)
U125	Furfural (I)
U126	Glycidylaldehyde
U127	Hexachlorobenzene
U128	Hexachlorobutadiene
U129	Hexachlorocyclohexane
U130	Hexachlorocyclopentadiene
U131	Hexachloroethane
U132	Hexachlorophene
U133	Hydrazine (R,T)
U134	Hydrofluoric acid (C,T)
U135	Hydrogen sulfide
	Hydroxybenzene see U188
U136	Hydroxydimethyl arsine oxide
	4,4'-(Imidocarbonyl)bis(N,N-dimethyl)aniline see U014
U137	Indeno(1,2,3-cd)pyrene
U138	Iodomethane
U139	Iron Dextran
U140	Isobutyl alcohol
U141	Isosafrole
U142	Kepone
U143	Lasiocarpine
U144	Lead acetate
U145	Lead phosphate
U146	Lead subacetate
U147	Maleic anhydride
U148	Maleic hydrazide
U149	Malononitrile
	MEK Peroxide see U160
U150	Melphalan
U151	Mercury
U152	Methacrylonitrile
U153	Methanethiol
U154	Methanol
U155	Methapyrilene
	Methyl alcohol see U154
U156	Methyl chlorocarbonate
	Methyl chloroform see U226
U157	3-Methylcholanthrene
	Methyl chloroformate see U156
U158	4,4'-Methylene-bis-(2-chloroaniline)
U159	Methyl ethyl ketone (MEK) (I,T)
U160	Methyl ethyl ketone peroxide (R)
	Methyl iodide see U138
U161	Methyl isobutyl ketore
U162	Methyl methacrylate (R,T)
U163	N-Methyl-N'-nitro-N-nitrosoguanidine
U164	Methylthiouracil
	Mitomycin C see U010
U165	Naphthalene
U166	1,4-Naphthoquinone
U167	1-Naphthylamine
U168	2-Naphthylamine
U169	Nitrobenzene (I,T)
	Nitrobenzol see U169
U170	4-Nitrophenol
U171	2-Nitropropane (I)
U172	N-Nitrosodi-n-butylamine
U173	N-Nitrosodiethanolamine
U174	N-Nitrosodiethylamine
U175	N-Nitrosodi-n-propylamine
U176	N-Nitroso-n-ethylurea
U177	N-Nitroso-n-methylurea
U178	N-Nitroso-n-methylurethane
U179	N-Nitrosopiperidine
U180	N-Nitrosopyrrolidine
U181	5-Nitro-o-toluidine
U182	Paraldehyde
	PCNB see U185
U183	Pentachlorobenzene
U184	Pentachloroethane
U185	Pentachloronitrobenzene
U186	1,3-Pentadiene (I)
	Perc see U210
	Perchlorethylene see U210
U187	Phenacetin
U188	Phenol
U189	Phosphorous sulfide (R)
U190	Phthalic anhydride
U191	2-Picoline
U192	Pronamide
U193	1,3-Propane sultone
U194	n-Propylamine (I)
U196	Pyridine
U197	Quinones
U200	Reserpine
U201	Resorcinol
U202	Saccharin
U203	Safrole
U204	Selenious acid
U205	Selenium sulfide (R,T)
	Silvex see U233
U206	Streptozotocin
	2,4,5-T see U232
U207	1,2,4,5-Tetrachlorobenzene
U208	1,1,1,2-Tetrachloroethane
U209	1,1,2,2-Tetrachloroethane
U210	Tetrachloroethene
	Tetrachloroethylene see U210
U211	Tetrachloromethane
U212	2,3,4,6-Tetrachlorophenol
U213	Tetrahydrofuran (I)
U214	Thallium (I) acetate
U215	Thallium (I) carbonate
U216	Thallium (I) chloride
U217	Thallium (I) nitrate
U218	Thioacetamide
U219	Thiourea
U220	Toluene
U221	Toluenediamine
U222	o-Toluidine hydrochloride

Hazardous Waste No.	Substance[1]
U223	Toluene diisocyanate
U224	Toxaphene
	2,4,5-TP see U233
U225	Tribromomethane
U226	1,1,1-Trichloroethane
U227	1,1,2-Trichloroethane
U228	Trichloroethene
	Trichloroethylene see U228
U229	Trichlorofluoromethane
U230	2,4,5-Trichlorophenol
U231	2,4,6-Trichlorophenol
U232	2,4,5-Trichlorophenoxyacetic acid
U233	2,4,5-Trichlorophenoxypropionic acid
	alpha, alpha, alpha- Trichlorotoluene see U023
	TRI-CLENE see U228
U234	Trinitrobenzene (R,T)
U235	Tris(2,3-dibromopropyl) phosphate
U236	Trypan blue
U237	Uracil mustard
U238	Urethane
	Vinyl chloride see U043
	Vinylidene chloride see U078
U239	Xylene

[1] The Agency included those trade names of which it was aware; an omission of a trade name does not imply that it is not hazardous. The material is hazardous if it is listed under its generic name.

Appendix I—Representative Sampling Methods

The methods and equipment used for sampling waste materials will vary with the form and consistency of the waste materials to be sampled. Samples collected using the sampling protocols listed below, for sampling waste with properties similar to the indicated materials, will be considered by the Agency to be representative of the waste.

Extremely viscous liquid—ASTM Standard D140–70 Crushed or powdered material—ASTM Standard D346–75 Soil or rock-like material—ASTM Standard D420–69 Soil-like material—ASTM Standard D1452–65

Fly Ash-like material—ASTM Standard D2234–76 [ASTM Standards are available from ASTM, 1916 Race St., Philadelphia, PA 19103]

Containerized liquid wastes—"COLIWASA" described in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods," [1] U.S. Environmental Protection Agency, Office of Solid Waste, Washington, D.C. 20460. [Copies may be obtained from Solid Waste Information, U.S. Environmental Protection Agency, 26 W. St. Clair St., Cincinnati, Ohio 45268]

Liquid waste in pits, ponds, lagoons, and similar reservoirs.—"Pond Sampler" described in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods." [1]

This manual also contains additional information on application of these protocols.

Appendix II— EP Toxicity Test Procedure

A. Extraction Procedure (EP)

1. A representative sample of the waste to be tested (minimum size 100 grams) should be obtained using the methods specified in Appendix I or any other methods capable of yielding a representative sample within the meaning of Part 260. [For detailed guidance on conducting the various aspects of the EP see "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods," SW–846, U.S. Environmental Protection Agency Office of Solid Waste, Washington, D.C. 20460.[1]]

2. The sample should be separated into its component liquid and solid phases using the method described in "Separation Procedure" below. If the solid residue [2] obtained using this method totals less than 0.5% of the original weight of the waste, the residue can be discarded and the operator should treat the liquid phase as the extract and proceed immediately to Step 8.

3. The solid material obtained from the Separation Procedure should be evaluated for its particle size. If the solid material has a surface area per gram of material equal to, or greater than, 3.1 cm^2 or passes through a 9.5 mm (0.375 inch) standard sieve, the operator should proceed to Step 4. If the surface area is smaller or the particle size larger than specified above, the solid material should be prepared for extraction by crushing, cutting or grinding the material so that it passes through a 9.5 mm (0.375 inch) sieve or, if the material is in a single piece, by subjecting the material to the "Structural Integrity Procedure" described below.

4. The solid material obtained in Step 3 should be weighed and placed in an extractor with 16 times its weight of deionized water. Do not allow the material to dry prior to weighing. For purposes of this test, an acceptable extractor is one which will impart sufficient agitation to the mixture to not only prevent stratification of the sample and extraction fluid but also insure that all sample surfaces are continously brought into contact with well mixed extraction fluid.

5. After the solid material and deionized water are placed in the extractor, the operator should begin agitation and measure the pH of the solution in the extractor. If the pH is greater than 5.0, the pH of the solution should be decreased to 5.0 ± 0.2 by adding 0.5 N acetic acid. If the pH is equal to or less than 5.0, no acetic acid should be added. The pH of the solution should be monitored, as described below, during the course of the extraction and if the pH rises above 5.2, 0.5N acetic acid should be added to bring the pH down to 5.0 ± 0.2. However, in no event shall the aggregate amount of acid added to the solution exceed 4 ml of acid per gram of solid. The mixture should be agitated for 24 hours and maintained at 20°–40° C (68°–104° F) during this time. It is recommended that the operator monitor and adjust the pH during the course of the extraction with a device such as the Type 45–A pH Controller manufactured by Chemtrix, Inc., Hillsboro, Oregon 97123 or its equivalent, in conjunction with a metering pump and reservoir of 0.5N acetic acid. If such a system is not available, the following manual procedure shall be employed:

(a) A pH meter should be calibrated in accordance with the manufacturer's specifications.

(b) The pH of the solution should be checked and, if necessary, 0.5N acetic acid should be manually added to the extractor until the pH reaches 5.0 ± 0.2. The pH of the solution should be adjusted at 15, 30 and 60 minute intervals, moving to the next longer interval if the pH does not have to be adjusted more than 0.5N pH units.

(c) The adjustment procedure should be continued for at least 6 hours.

(d) If at the end of the 24-hour extraction period, the pH of the solution is not below 5.2 and the maximum amount of acid (4 ml per gram of solids) has not been added, the pH should be adjusted to 5.0 ± 0.2 and the extraction continued for an additional four hours, during which the pH should be adjusted at one hour intervals.

6. At the end of the 24 hour extraction period, deionized water should be added to the extractor in an amount determined by the following equation:

$$V = (20)(W) - 16(W) - A$$

V = ml deionized water to be added
W = weight in grams of solid charged to extractor
A = ml of 0.5N acetic acid added during extraction

7. The material in the extractor should be separated into its component liquid and solid phases as described under "Separation Procedure."

8. The liquids resulting from Steps 2 and 7 should be combined. This

---

[1] These methods are also described in "Samplers and Sampling Procedures for Hazardous Waste Streams." EPA 600/2–80–018, January 1980.

[1] Copies may be obtained from Solid Waste Information, U.S. Environmental Protection Agency, 26 W. St. Clair Street, Cincinnati, Ohio 45268.

[2] The percent solids is determined by drying the filter pad at 80° C until it reaches constant weight and then calculating the percent solids using the following equation:

$$\frac{(\text{weight of pad} + \text{solid}) - (\text{tare weight of pad})}{\text{initial weight of sample}} \times 100 = \%\ \text{solids}$$

combined liquid (or the waste itself if it has less than ½ percent solids, as noted in Step 2) is the extract and should be analyzed for the presence of any of the contaminants specified in Table I of § 261.24 using the Analytical Procedures designated below.

Separation Procedure

Equipment: A filter holder, designed for filtration media having a nominal pore size of 0.45 micrometers and capable of applying a 5.3 kg/cm² (75 psi) hydrostatic pressure to the solution being filtered shall be used. For mixtures containing nonabsorptive solids, where separation can be affected without imposing a 5.3 kg/cm² pressure differential, vacuum filters employing a 0.45 micrometers filter media can be used. (For further guidance on filtration equipment or procedures see "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.")

Procedure:[3]

(i) Following manufacturer's directions, the filter unit should be assembled with a filter bed consisting of a 0.45 micrometer filter membrane. For difficult or slow to filter mixtures a prefilter bed consisting of the following prefilters in increasing pore size (0.65 micrometer membrane, fine glass fiber prefilter, and coarse glass fiber prefilter) can be used.

(ii) The waste should be poured into the filtration unit.

(iii) The reservoir should be slowly pressurized until liquid begins to flow from the filtrate outlet at which point the pressure in the filter should be immediately lowered to 10–15 psig. Filtration should be continued until liquid flow ceases.

(iv) The pressure should be increased stepwise in 10 psi increments to 75 psig and filtration continued until flow ceases or the pressurizing gas begins to exit from the filtrate outlet.

(v) The filter unit should be depressurized, the solid material removed and weighed and then transferred to the extraction apparatus, or, in the case of final filtration prior to analysis, discarded. Do not allow the material retained on the filter pad to dry prior to weighing.

(vi) The liquid phase should be stored at 4°C for subsequent use in Step 8.

B. Structural Integrity Procedure

Equipment: A Structural Integrity Tester having a 3.18 cm (1.25 in.) diameter hammer weighing 0.33 kg (0.73 lbs.) and having a free fall of 15.24 cm (6 in.) shall be used. This device is available from Associated Design and Manufacturing Company, Alexandria, VA., 22314, as Part No. 125, or it may be fabricated to meet the specifications shown in Figure 1.

Procedure:

1. The sample holder should be filled with the material to be tested. If the sample of waste is a large monolithic block, a portion should be cut from the block having the dimensions of a 3.3 cm (1.3 in.) diameter x 7.1 cm (2.8 in.) cylinder. For a fixated waste, samples may be cast in the form of a 3.3 cm (1.3 in.) diameter x 7.1 cm (2.8 in.) cylinder for purposes of conducting this test. In such cases, the waste may be allowed to cure for 30 days prior to further testing.
2. The sample holder should be placed into the Structural Integrity Tester, then the hammer should be raised to its maximum height and dropped. This should be repeated fifteen times.
3. The material should be removed from the sample holder, weighed, and transferred to the extraction apparatus for extraction.

Analytical Procedures for Analyzing Extract Contaminants

The test methods for analyzing the extract are as follows:

(1) For arsenic, barium, cadmium, chromium, lead, mercury, selenium or silver: "Methods for Analysis of Water and Wastes," Environmental Monitoring and Support Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Cincinnati, Ohio 45268 (EPA–600/4–79–020, March 1979).

(2) For Endrin; Lindane; Methoxychlor; Toxaphene; 2,4-D; 2,4,5-TP Silver: in "Methods for Benzidine, Chlorinated Organic Compounds, Pentachlorophenol and Pesticides in Water and Wastewater," September 1978, U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio 42568,

as standardized in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods."

For all analyses, the method of standard addition shall be used for the quantification of species concentration. This method is described in "Test Methods for the Evaluation of Solid Waste." (It is also described in "Methods for Analysis of Water and Wastes.")

BILLING CODE 6560-01-M

---

[3] This procedure is intended to result in separation of the "free" liquid portion of the waste from any solid matter having a particle size >0.45um. If the sample will not filter, various other separation techniques can be used to aid in the filtration. As described above, pressure filtration is employed to speed up the filtration process. This does not alter the nature of the separation. If liquid does not separate during filtration, the waste can be centrifuged. If separation occurs during centrifugation the liquid portion (centrifugate) is filtered through the 0.45um filter prior to becoming mixed with the liquid portion of the waste obtained from the initial filtration. Any material that will not pass through the filter after centrifugation is considered a solid and is extracted.



*ELASTOMERIC SAMPLE HOLDER FABRICATED OF MATERIAL FIRM ENOUGH TO SUPPORT THE SAMPLE

Figure 1

COMPACTION TESTER

BILLING CODE 6560-01-C

Appendix III—Chemical Analysis Test Methods

Tables 1, 2 and 3 specify the appropriate analytical procedures, described in "Test Methods for Evaluating Solid Waste" (SW–846), which should be used in determining whether the waste in question contains a given toxic constituent. Table 1 identifies the analytical class and the approved measurement techniques for each organic chemical listed in Appendix VII. Table 2 identifies the corresponding methods for the inorganic species. Table 3 identifies the specific sample preparation and measurement instrument introduction techniques which may be suitable for both the organic and inorganic species as well as the matrices of concern.

Prior to final selection of the analytical method the operator should consult the specific method descriptions in SW–846 for additional guidance on which of the approved methods should be employed for a specific waste analysis situation.

Table 1.—*Analytical Characteristics of Organic Chemicals*

Compound	Sample handling class/fraction	Non-GC methods	Measurement techniques		
				Conventional	
			GC/MS	GC	Detector
Acetonitrile	Volatile		8.24	8.03	NSD
Acrolein	Volatile		8.24	8.03	NSD
Acrylamide	Volatile		8.24	8.01	FID
Acrylonitrile	Volatile		8.24	8.03	NSD
Benzene	Volatile		8.24	8.02	PID
Benz(a)anthracene	Extractable/BN	8.10 (HPLC)	8.25	8.10	FID
Benzo(a)pyrene	Extractable/BN	8.10 (HPLC)	8.25	8.10	FID
Benzotrichloride	Extractable/BN		8.25	8.12	ECD
Benzyl chloride	Volatile or Extractable/BN		8.24	8.01	HSD
			8.25	8.12	ECD
Benz(b)fluoanthene	Extractable/BN	8.10 (HPLC)	8.25	8.10	FID
Bis(2-chloroethoxymethane)	Volatile		8.24	8.01	HSD
Bis(2-chloroethyl)ether	Volatile		8.24	8.01	HSD
Bis(2-chloroisopropyl)ether	Volatile		8.24	8.01	HSD
Carbon disulfide	Volatile		8.24	8.01	HSD
Carbon tetrachloride	Volatile		8.24	8.01	HSD
Chlordane	Extractable/BN		8.25	8.08	HSD
Chlorinated dibenzodioxins	Extractable/BN		8.25	8.08	ECD
Chlorinated biphenyls	Extractable/BN		8.25	8.08	HSD
Chloroacetaldehyde	Volatile		8.24	8.01	HSD
Chlorobenzene	Volatile		8.24	8.01	HSD
				8.02	PID
Chloroform	Volatile		8.24	8.01	HSD
Chloromethane	Volatile		8.24	8.01	HSD
2-Chlorophenol	Extractable/BN		8.25	8.04	FID, ECD
Chrysene	Extractable/BN	8.10 (HPLC)	8.25	8.10	FID
Creosote	Extractable/BN		[1] 8.25	8.10	ECD
Cresol(s)	Extractable/A		8.25	8.04	FID, ECD
Cresylic acid(s)	Extractable/A		8.25	8.04	FID, ECD
Dichlorobenzene(s)	Extractable/BN		8.25	8.01	HSD
				8.02	PID
				8.12	ECD
Dichloroethane(s)	Volatile		8.24	8.01	HSD
Dichloromethane	Volatile		8.24	8.01	HSD
Dichlorophenoxy-acetic acid	Extractable/A		8.25	8.40	HSD
Dichloropropanol	Extractable/BN		8.25	8.12	ECD
2,4-Dimethylphenol	Extractable/A		8.25	8.04	FID, ECD
Dinitrobenzene	Extractable/BN		8.25	8.09	FID, ECD
4,6-Dinotro-o-cresol	Extractable/A		8.25	8.04	FID, ECD
2,4-Dinitrotoluene	Extractable/BN		8.25	8.09	FID, ECD
Endrin	Extractable/P		8.25	8.08	HSD
Ethyl ether	Volatile		8.24	8.01	FID
				8.02	FID
Formaldehyde	Volatile		8.24	8.01	FID
Formic acid	Extractable/BN		8.25	8.06	FID
Heptachlor	Extractable/P		8.25	8.06	HSD
Hexachlorobenzene	Extractable/BN		8.25	8.12	ECD
Hexachlorobutadiene	Extractable/BN		8.25	8.12	ECD
Hexachloroethane	Extractable/BN		8.25	8.12	ECD
Hexachlorocyclopentadiene	Extractable/BN		8.25	8.12	ECD
Lindane	Extractable/P		8.25	8.08	HSD
Maleic anhydride	Extractable/BN		8.25	8.06	ECD, FID
Methanol	Volatile		8.24	8.01	FID
Methomyl	Extractable/BN	8.32 (HPLC)			
Methyl ethyl ketone	Volatile		8.25	8.01	FID
				8.02	FID
Methyl isobutyl ketone	Volatile		8.25	8.01	FID
				8.02	FID
Naphthalene	Extractable/BN		8.25	8.10	FID
Napthoquinone	Extractable/BN		8.25	8.06	ECD, FID
				8.09	FID
Nitrobenzene	Extractable/BN		8.25	8.09	ECD, FID
4-Nitrophenol	Extractable/A		8.24	8.04	ECD, FID
Paraldehyde (trimer of acetaldehyde).	Volatile		8.24	8.01	FID

Table 1.—*Analytical Characteristics of Organic Chemicals—Continued*

Compound	Sample handling class/fraction	Non-GC methods	Measurement techniques GC/MS	Conventional GC	Conventional Detector
Pentachlorophenol	Extractable/A		8.25	8.04	ECD
Phenol	Extractable/A		8.25	8.04	ECD, FID
Phorate	Extractable/BN			8.22	FPD
Phosphorodithioic acid esters	Extractable/BN			8.06	ECD, FID
				8.09	ECD, FID
				8.22	FPD
Phthalic anhydride	Extractable/BN		8.25	8.06	ECD, FID
				8.09	ECD, FID
2-Picoline	Extractable/BN		8.25	8.06	ECD, FID
				8.09	ECD, FID
Pyridine	Extractable/BN		8.25	8.06	ECD; FID
				8.09	ECD, FID
Tetrachlorobenzene(s)	Extractable/BN		8.25	8.12	ECD
Tetrachloroethane(s)	Volatile		8.24	8.01	HSD
Tetrachloroethene	Volatile		8.24	8.01	HSD
Tetrachlorophenol	Extractable/A		8.24	8.04	ECD
Toluene	Volatile		8.24	8.02	PID
Toluenediamine	Extractable/BN		8.25		
Toluene diisocyanate(s)	Extractable/nonaqueous		8.25	8.06	FID
Toxaphene	Extractable/P		8.25	8.08	HSD
Trichloroethane	Volatile		8.24	8.01	HSD
Trichloroethene(s)	Volatile		8.24	8.01	HSD
Trichlorofluoromethane	Volatile		8.24	8.01	HSD
Trichlorophenol(s)	Extractable/A		8.25	8.04	HSD
2,4,5-TP (Silvex)	Extractable/A		8.25	8.40	HSD
Trichloropropane	Volatile		8.24	8.01	HSD
Vinyl chloride	Volatile		8.24	8.01	HSD
Vinylidene chloride	Volatile		8.24	8.01	HSD
Xylene	Volatile		8.24	8.02	PID

[1] Analyze for phenanthrene and carbazole; if these are present in a ratio between 1.4:1 and 5:1, creosote should be considered present.

ECD = Electron capture detetor; FID = Flame ionization detector; FPD = Flame photometric detector; HSD = Halide specific detector; HPLC = High pressure liquid chromotography; NSD = Nitrogen-specific detector; PID = Photoionization detector.

Table 2—*Analytical Characteristics of Inorganic Species*

Species	Sample handling class	Measurement technique	Method number
Antimony	Digestion	Atomic absorbtion–furnace/flame	8.50
Arsenic	Hydride	Atomic absorbtion–flame	8.51
Barium	Digestion	Atomic absorbtion–furnace/flame	8.52
Cadmium	Digestion	Atomic absorbtion–furnace/flame	8.53
Chromium	Digestion	Atomic absorbtion–furnace/flame	8.54
Cyanides	Hydrolysis	Atomic absorbtion–spectroscopy	8.55
Lead	Digestion	Atomic absorbtion–furnace/flame	8.56
Mercury	Cold Vapor	Atomic absorbtion	8.57
Nickel	Digestion	Atomic absorbtion–furnace/flame	8.58
Selenium	Hydride digestion	Atomic absorbtion–furnace/flame	8.59
Silver	Digestion	Atomic absorbtion–furnace/flame	8.60

Table 3.—*Sample Prepartion/Sample Introduction Techniques*

Sample handling class	Physical characteristics of waste [1] Fluid	Paste	Solid
Voltile	Purge and trap.	Purge and trap.	Headspace.
	Direct injection.	Headspace	
Semivolatile and nonvolatile.	Direct injection.	Shake out	Shake out.
			Soxhlet.
	Shake out		Sonication.
Inorganic	Direct injection.		
	Digestion	Digestion	Digestion.
	Hydride	Hydride	Hydride.

[1] For purposes of this Table, fluid refers to readily pourable liquids, which may or may not contain suspended particles. Paste-like materials, while fluid in the sense of flowability, can be thought of as being thixotropic or plastic in nature, e.g. paints. Solid materials are those wastes which can be handled without a container (i.e., can be piled up without appreciable sagging).

Procedure and Method Number(s)

Digestion—See appropriate procedure for element of interest.
Direct injection—8.80
Headspace—8.82
Hydride—See appropriate procedure for element of interest.
Purge & Trap—8.83
Shake out—8.84
Sonication—8.85
Soxhlet—8.86

Appendix VII.—*Basis for Listing Hazardous Wastes*

EPA hazardous waste No.	Hazardous constituents for which listed
F001	tetrachloroethylene, methylene chloride trichloroethyllene, 1,1,1-trichloroethane chlorinated fluorocarbons, carbon tetrachloride
F002	tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2-trifluoroethane, o-dichlorobenzene, trichlorofluoromethane
F003	N.A.
F004	cresols and cresylic acid, nitrobenzene
F005	methanol, toluene, methyl ethyl ketone, methyl isobutyl ketone, carbon disulfide, isobutanol, pyridine
F006	cadmium, chromium, nickel, cyanide (complexed)
F007	cyanide (salts)
F008	cyanide (salts)
F009	cyanide (salts)
F010	cyanide (salts)
F011	cyanide (salts)
F012	cyanide (complexed)
F013	cyanide (complexed)
F014	cyanide (complexed)
F015	cyanide (salts)
F016	cyanide (complexed)
K001	benzene, benz(a)anthracene, benzo(a)pyrene, chrysene, 4-nitrophenol, toluene, naphthalene phenol, 2-chlorophenol, 2,4-dimethyl phenol, 2,4,6-trichlorophenol, pentachlorophenol, 4,6-dinitro-o-cresol, tetrachlorophenol
K002	chromium, lead
K003	chromium, lead
K004	chromium
K005	chromium, lead
K006	chromium
K007	cyanide (complexed), chromium
K008	chromium
K009	chloroform, formaldehyde, methylene chloride, methyl chloride, paraldehyde, formic acid
K010	chloroform, formaldehyde, methylene chloride, methyl chloride, paraldehyde, formic acid, chloroacetaldehyde
K011	acrylonitrile, acetonitrile, hydrocyanic acid
K012	acrylonitrile, acetonitrile, acrolein, acrylamide
K013	hydrocyanic acid, acrylonitrile, acetonitrile
K014	acetonitrile, acrylamide
K015	benzyl chloride, chlorobenzene, toluene, benzotrichloride
K016	hexachlorobenzene, hexachlorobutadiene, carbon tetrachloride, hexachloroethane, perchloroethylene
K017	epichlorohydrin, chloroethers [bis(chloromethyl) ether and bis (2-chloroethyl) ethers], trichloropropane, dichloropropanols
K018	1,2-dichloroethane, trichloroethylene, hexachlorobutadiene, hexachlorobenzene
K019	ethylene dichloride, 1,1,1-trichloroethane, 1,1,2-trichloroethane, tetrachloroethanes (1,1,2,2-tetrachloroethane and 1,1,1,2-tetrachloroethane), trichloroethylene, tetrachloroethylene, carbon tetrachloride, chloroform, vinyl chloride, vinylidene chloride

Appendix VII.—*Basis for Listing Hazardous Wastes*—Continued

EPA hazardous waste No.	Hazardous constituents for which listed
K020	ethylene dichloride, 1,1,1-trichloroethane, 1,1,2-trichloroethane, tetrachloroethanes (1,1,2,2-tetrachloroethane and 1,1,1,2-tetrachloroethane), trichloroethylene, tetrachloroethylene, carbon tetrachloride, chloroform, vinyl chloride, vinylidene chloride
K021	antimony, carbon tetrachloride, chloroform
K022	phenol, tars (polycyclic aromatic hydrocarbons)
K023	phthalic anahydride, maleic anhydride
K024	phthalic anhydride, polynuclear tar-like materials, naphthoquinone
K025	meta-dinitrobenzene, 2,4-dinitrotoluene
K026	paraldehyde, pyridines, 2-picoline
K027	toulene diisocyanate, toluene-2,4-diamine, tars (benzidimidazapone)
K028	1,1,1-trichloroethane, vinyl chloride
K029	1,2.-dichloroethane, 1,1,1-trichloroethane, vinyl chloride, vinlyidene chloride, chloroform
K030	hexachlorobenzene, hexachlorobutadiene, hexachloroethane, 1,1,1,2-tetrachloroethane, 1,1,2,2-tetrachloroethane, ethylene dichloride
K031	arsenic
K032	hexachlorocyclopentadiene
K033	hexachlorocyclopentadiene
K034	hexachlorocyclopentadiene
K035	cresote, benz(a)anthracene, benz(b)fluoroanthene, benzo(a)pyrene
K036	toulene, phosphorodithioic and phosphorothioic acid esters
K037	toulene, phosphorodithioic and phosphorothioic acid esters
K038	phorate, formaldehyde, phosphorodithioic and phosphorothioic acid esters
K039	phosphorodithioic and phosphorothioic acid esters
K040	phorate, formaldehyde, phosphorodithioic and phosphorothioic acid esters
K041	toxaphene
K042	hexachlorobenzene; ortho-dichlorobenzene
K043	2,4-dichlorophenol, 2,6-dichlorophenol, 2,4,6-trichlorophenol
K044	N.A.
K045	N.A.
K046	lead
K047	N.A.
K048	chromium, lead
K049	chromium, lead
K050	chromium
K051	chromium, lead
K052	lead
K053	chromium
K054	chromium
K055	chromium, lead
K056	chromium, lead
K057	chromium, lead
K058	chromium, lead
K059	N.A.
K060	cyanide, naphthalene, phenolic compounds, arsenic
K061	chromium, lead, cadmium
K062	chromium, lead
K063	chromium, lead
K064	lead, cadmium
K065	lead, cadmium
K066	lead, cadmium
K067	lead, cadmium
K068	lead, cadmium
K069	chromium, lead, cadmium

N.A.—Waste is hazardous because it meets either the ignitability, corrosivity or reactivity characteristic.

Appendix VIII—Hazardous Constituents

Acetaldehyde
(Acetato)phenylmercury
Acetonitrile
3-(alpha-Acetonylbenzyl)-4-hydroxycoumarin and salts
2-Acetylaminofluorene
Acetyl chloride
1-Acetyl-2-thiourea
Acrolein
Acrylamide
Acrylonitrile
Aflatoxins
Aldrin
Allyl alcohol
Aluminum phosphide
4-Aminobiphenyl
6-Amino-1,1a,2,8,8a,8b-hexahydro-8-(hydroxymethyl)-8a-methoxy-5-methylcarbamate azirino(2',3':3,4) pyrrolo(1,2-a)indole-4,7-dione (ester) (Mitomycin C)
5-(Aminomethyl)-3-isoxazolol
4-Aminopyridine
Amitrole
Antimony and compounds, N.O.S.[1]
Aramite
Arsenic and compounds, N.O.S.
Arsenic acid
Arsenic pentoxide
Arsenic trioxide
Auramine
Azaserine
Barium and compounds, N.O.S.
Barium cyanide
Benz[c]acridine
Benz[a]anthracene
Benzene
Benzenearsonic acid
Benzenethiol
Benzidine
Benzo[a]anthracene
Benzo[b]fluoranthene
Benzo[j]fluoranthene
Benzo[a]pyrene
Benzotrichloride
Benzyl chloride
Beryllium and compounds, N.O.S.
Bis(2-chloroethoxy)methane
Bis(2-chloroethyl) ether
N,N-Bis(2-chloroethyl)-2-naphthylamine
Bis(2-chloroisopropyl) ether
Bis(chloromethyl) ether
Bis(2-ethylhexyl) phthalate
Bromoacetone
Bromomethane
4-Bromophenyl phenyl ether
Brucine
2-Butanone peroxide
Butyl benzyl phthalate
2-sec-Butyl-4,6-dinitrophenol (DNBP)
Cadmium and compounds, N.O.S.
Calcium chromate
Calcium cyanide
Carbon disulfide
Chlorambucil
Chlordane (alpha and gamma isomers)
Chlorinated benzenes, N.O.S.
Chlorinated ethane, N.O.S.
Chlorinated naphthalene, N.O.S.
Chlorinated phenol, N.O.S.
Chloroacetaldehyde
Chloroalkyl ethers
p-Chloroaniline
Chlorobenzene
Chlorobenzilate
1-(p-Chlorobenzoyl)-5-methoxy-2-methylindole-3-acetic acid
p-Chloro-m-cresol
1-Chloro-2,3-epoxybutane
2-Chloroethyl vinyl ether
Chloroform
Chloromethane
Chloromethyl methyl ether
2-Chloronaphthalene
2-Chlorophenol
1-(o-Chlorophenyl)thiourea
3-Chloropropionitrile
alpha-Chlorotoluene
Chlorotoluene, N.O.S.
Chromium and compounds, N.O.S.
Chrysene
Citrus red No. 2
Copper cyanide
Creosote
Crotonaldehyde
Cyanides (soluble salts and complexes), N.O.S.
Cyanogen
Cyanogen bromide
Cyanogen chloride
Cycasin
2-Cyclohexyl-4,6-dinitrophenol
Cyclophosphamide
Daunomycin
DDD
DDE
DDT
Diallate
Dibenz[a,h]acridine
Dibenz[a,j]acridine
Dibenz[a,h]anthracene(Dibenzo[a,h] anthracene)
7H-Dibenzo[c,g]carbazole
Dibenzo[a,e]pyrene
Dibenzo[a,h]pyrene
Dibenzo[a,i]pyrene
1,2-Dibromo-3-chloropropane
1,2-Dibromoethane
Dibromomethane
Di-n-butyl phthalate
Dichlorobenzene, N.O.S.
3,3'-Dichlorobenzidine
1,1-Dichloroethane
1,2-Dichloroethane
trans-1,2-Dichloroethane
Dichloroethylene, N.O.S.
1,1-Dichloroethylene
Dichloromethane
2,4-Dichlorophenol
2,6-Dichlorophenol
2,4-Dichlorophenoxyacetic acid (2,4-D)
Dichloropropane
Dichlorophenylarsine
1,2-Dichloropropane
Dichloropropanol, N.O.S.
Dichloropropene, N.O.S.
1,3-Dichloropropene
Dieldrin
Diepoxybutane
Diethylarsine
0,0-Diethyl-S-(2-ethylthio)ethyl ester of phosphorothioic acid
1,2-Diethylhydrazine
0,0-Diethyl-S-methylester phosphorodithioic acid
0,0-Diethylphosphoric acid, 0-p-nitrophenyl ester
Diethyl phthalate
0,0-Diethyl-0-(2-pyrazinyl)phosphorothioate
Diethylstilbestrol
Dihydrosafrole
3,4-Dihydroxy-alpha-(methylamino)-methyl benzyl alcohol
Di-isopropylfluorophosphate (DFP)
Dimethoate
3,3'-Dimethoxybenzidine
p-Dimethylaminoazobenzene
7,12-Dimethylbenz[a]anthracene
3,3'-Dimethylbenzidine
Dimethylcarbamoyl chloride

---

[1] The abbreviation N.O.S. signifies those members of the general class "not otherwise specified" by name in this listing.

1,1-Dimethylhydrazine
1,2-Dimethylhydrazine
3,3-Dimethyl-1-(methylthio)-2-butanone-0-((methylamino) carbonyl)oxime
Dimethylnitrosoamine
alpha,alpha-Dimethylphenethylamine
2,4-Dimethylphenol
Dimethyl phthalate
Dimethyl sulfate
Dinitrobenzene, N.O.S.
4,6-Dinitro-o-cresol and salts
2,4-Dinitrophenol
2,4-Dinitrotoluene
2,6-Dinitrotoluene Di-n-octyl phthalate
1,4-Dioxane
1,2-Diphenylhydrazine
Di-n-propylnitrosamine
Disulfoton
2,4-Dithiobiuret
Endosulfan
Endrin and metabolites
Epichlorohydrin
Ethyl cyanide
Ethylene diamine
Ethylenebisdithiocarbamate (EBDC)
Ethyleneimine
Ethylene oxide
Ethylenethiourea
Ethyl methanesulfonate
Fluoranthene
Fluorine
2-Fluoroacetamide
Fluoroacetic acid, sodium salt
Formaldehyde
Glycidylaldehyde
Halomethane, N.O.S.
Heptachlor
Heptachlor epoxide (alpha, beta, and gamma isomers)
Hexachlorobenzene
Hexachlorobutadiene
Hexachlorocyclohexane (all isomers)
Hexachlorocyclopentadiene
Hexachloroethane
1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-endo,endo-dimethanonaphthalene
Hexachlorophene
Hexachloropropene
Hexaethyl tetraphosphate
Hydrazine
Hydrocyanic acid
Hydrogen sulfide
Indeno(1,2,3-c,d)pyrene
Iodomethane
Isocyanic acid, methyl ester
Isosafrole
Kepone
Lasiocarpine
Lead and compounds, N.O.S.
Lead acetate
Lead phosphate
Lead subacetate
Maleic anhydride
Malononitrile
Melphalan
Mercury and compounds, N.O.S.
Methapyrilene
Methomyl
2-Methylaziridine
3-Methylcholanthrene
4,4'-Methylene-bis-(2-chloroaniline)
Methyl ethyl ketone (MEK)
Methyl hydrazine
2-Methyllactonitrile
Methyl methacrylate
Methyl methanesulfonate
2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) oxime
N-Methyl-N'-nitro-N-nitrosoguanidine
Methyl parathion
Methylthiouracil
Mustard gas
Naphthalene
1,4-Naphthoquinone
1-Naphthylamine
2-Naphthylamine
1-Naphthyl-2-thiourea
Nickel and compounds, N.O.S.
Nickel carbonyl
Nickel cyanide
Nicotine and salts
Nitric oxide
p-Nitroaniline
Nitrobenzene
Nitrogen dioxide
Nitrogen mustard and hydrochloride salt
Nitrogen mustard N-oxide and hydrochloride salt
Nitrogen peroxide
Nitrogen tetroxide
Nitroglycerine
4-Nitrophenol
4-Nitroquinoline-1-oxide
Nitrosamine, N.O.S.
N-Nitrosodi-N-butylamine
N-Nitrosodiethanolamine
N-Nitrosodiethylamine
N-Nitrosodimethylamine
N-Nitrosodiphenylamine
N-Nitrosodi-N-propylamine
N-Nitroso-N-ethylurea
N-Nitrosomethylethylamine
N-Nitroso-N-methylurea
N-Nitroso-N-methylurethane
N-Nitrosomethylvinylamine
N-Nitrosomorpholine
N-Nitrosonornicotine
N-Nitrosopiperidine
N-Nitrosopyrrolidine
N-Nitrososarcosine
5-Nitro-o-toluidine
Octamethylpyrophosphoramide
Oleyl alcohol condensed with 2 moles ethylene oxide
Osmium tetroxide
7-Oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid
Parathion
Pentachlorobenzene
Pentachloroethane
Pentachloronitrobenzene (PCNB)
Pentacholorophenol
Phenacetin
Phenol
Phenyl dichloroarsine
Phenylmercury acetate
N-Phenylthiourea
Phosgene
Phosphine
Phosphorothioic acid, O,O-dimethyl ester, O-ester with N,N-dimethyl benzene sulfonamide
Phthalic acid esters, N.O.S.
Phthalic anhydride
Polychlorinated biphenyl, N.O.S.
Potassium cyanide
Potassium silver cyanide
Pronamide
1,2-Propanediol
1,3-Propane sultone
Propionitrile
Propylthiouracil
2-Propyn-1-ol
Pryidine
Reserpine
Saccharin
Safrole
Selenious acid
Selenium and compounds, N.O.S.
Selenium sulfide
Selenourea
Silver and compounds, N.O.S.
Silver cyanide
Sodium cyanide
Streptozotocin
Strontium sulfide
Strychnine and salts
1,2,4,5-Tetrachlorobenzene
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)
Tetrachloroethane, N.O.S.
1,1,1,2-Tetrachloroethane
1,1,2,2-Tetrachloroethane
Tetrachloroethene (Tetrachloroethylene)
Tetrachloromethane
2,3,4,6-Tetrachlorophenol
Tetraethyldithiopyrophosphate
Tetraethyl lead
Tetraethylpyrophosphate
Thallium and compounds, N.O.S.
Thallic oxide
Thallium (I) acetate
Thallium (I) carbonate
Thallium (I) chloride
Thallium (I) nitrate
Thallium selenite
Thallium (I) sulfate
Thioacetamide
Thiosemicarbazide
Thiourea
Thiuram
Toluene
Toluene diamine
o-Toluidine hydrochloride
Tolylene diisocyanate
Toxaphene
Tribromomethane
1,2,4-Trichlorobenzene
1,1,1-Trichloroethane
1,1,2-Trichloroethane
Trichloroethene (Trichloroethylene)
Trichloromethanethiol
2,4,5-Trichlorophenol
2,4,6-Trichlorophenol
2,4,5-Trichlorophenoxyacetic acid (2,4,5-T)
2,4,5-Trichlorophenoxypropionic acid (2,4,5-TP) (Silvex)
Trichloropropane, N.O.S.
1,2,3-Trichloropropane
0,0,0-Triethyl phosphorothioate
Trinitrobenzene
Tris(1-azridinyl)phosphine sulfide
Tris(2,3-dibromopropyl) phosphate
Trypan blue
Uracil mustard
Urethane
Vanadic acid, ammonium salt
Vanadium pentoxide (dust)
Vinyl chloride
Vinylidene chloride
Zinc cyanide
Zinc phosphide

[FR Doc. 80-14307 Filed 5-16-80; 8:45 am]
BILLING CODE 6560-01-M